

1. DAKS Data Server

Processor	<ul style="list-style-type: none"> ◆ Minimum: Pentium 2 GHz or greater
Memory	<ul style="list-style-type: none"> ◆ Minimum: 2GB (4GB recommended for larger, multi-Operator/Administrator deployments)
Disk Space	<ul style="list-style-type: none"> ◆ Minimum: 20+ GB available to application
Operating System	<ul style="list-style-type: none"> ◆ Windows XP Service Pack 3 OR ◆ Windows 2003 Server Service Pack 1 for larger, multi-Operator/Administrator deployments ◆ Note: A VMWare guest Operating System is supported provided the minimum system resources outlined herein are made available to the DAKS application. As many components of DAKS are real-time in nature, application performance may degrade if adequate system resources are not accessible.
Open/Unblocked Network Ports	<ul style="list-style-type: none"> ◆ 25: SMTP (optional, only for e-mail broadcasts and/or Mail-to-Phone) ◆ 389: LDAP (optional, only for LDAP interface for Administration Tool) ◆ 514: Syslog (optional) ◆ 2000: Operator Tool interface ◆ 2001: DAKS Communications Server interface ◆ 2016: Administration Tool interface
Serial Port	<ul style="list-style-type: none"> ◆ Minimum: 1
Other	<ul style="list-style-type: none"> ◆ CD ROM Drive, Keyboard, and Mouse ◆ 24 bit sound card with speakers or headphones (required for Text-to-Speech module) ◆ WMP Version 7 or WMP Version 6.4 with V7 Windows Media Video and Audio Codecs (optional, but required for Text-to-Speech module) ◆ SVGA color monitor capable of 1024X768 resolution and 256 colors ◆ Printer - this can be a network or local printer ◆ Network interface card with 100Mbps connection (full duplex) <ul style="list-style-type: none"> + A second NIC may be utilized depending on the network configuration requirements (e.g. if the DAKS Communication Server is to be on an isolated network) ◆ Access to a network file repository is required in order to perform database backups. This accessibility will need to be configured by the end user's local network administrator. ◆ DAKS e-mail functions (optional) <ul style="list-style-type: none"> + SMTP Mail Server must be configured and accessible to the DAKS Communication Server and/or the DAKS Data Server.
Remote Support	<ul style="list-style-type: none"> ◆ Remote access rights provided by customer to Impact Technical Support team ◆ Impact will leverage Adobe® Connect™ meetings for remote installation and support

2. DAKS Administration/Operations Client Workstations

Processor	<ul style="list-style-type: none"> ◆ Minimum: Pentium 1 Ghz or greater
Memory	<ul style="list-style-type: none"> ◆ Minimum: 1 GB
Operating System	<ul style="list-style-type: none"> ◆ Windows XP Service Pack 3
Open/Unblocked Network Ports	<ul style="list-style-type: none"> ◆ 389: LDAP (optional, only for LDAP interface for Administration Tool) ◆ 514: Syslog (optional) ◆ 2000: Operator Tool ◆ 2016: Administrator Tool
Other	<ul style="list-style-type: none"> ◆ CD ROM Drive, Keyboard, and Mouse ◆ SVGA color monitor capable of 1024X768 resolution and 256 colors ◆ 24 bit sound card with speakers or headphones (optional) ◆ WMP Version 7 or WMP Version 6.4 with V7 Windows Media Video and Audio Codecs (optional) ◆ Printer - this can be a network or local printer ◆ Network interface card with 100Mbps connection